ELSEVIER

Journal of Materials Processing Technology 136 (2003) 239

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 136

Acselrad, O., 72
Adeyemi, M.B., 7
Aggelopoulos, A., 146
Alfares, M.A., 48
Arif, A.F.M., 120

Browne, M.T., 64

Chatterjee, A.N., 151, 179
Chen, H.-W., 158, 166
Cho, J.R., 217
Cho, M.-W., 88
Chumakova, L.D., 72

Donat, R., 35

Elsharkawy, A.A., 48
Ercan, F., 227
Erdem, E., 35

Ferrari, J., 190

Günay, M.E., 35
Guo, Q., 60

Han, B.Q., 100
Hashmi, M.S.J., 12
He, S., 60
Hillery, M.T., 64
Hyder, S.J., 24

Inoue, M., 186

Jang, H., 202
Jeong, H.S., 217

Kalashnikov, I.S., 72
Karalekas, D., 146
Kim, I.G., 139
Kim, I.S., 139
Kim, J.Y., 139
Kim, K.S., 202
Kim, O.S., 139
Kim, S.J., 202
Kongwudthiti, S., 186
Kumar, S., 151, 179
Kuriyagawa, T., 39
Kurt, B., 174
Kwon, H.-D., 88

Li, K., 60
Lior, N., 190

Min, B.H., 1
Mishra, P.K., 151, 179
Murali, K., 179

Nishio, M., 60

Ogawa, H., 60
Ohshita, H., 39
Onawola, O.O., 7
Orhan, N., 174
Ozcatalbas, Y., 227

Palai, R., 179
Palm, M., 105, 114
Pereira, L.C., 72
Prakash, R., 80
Praserthdam, P., 186
Preuhs, J., 105, 114

Ramos, A.M., 209
Relvas, C., 209
Roy Choudhury, A., 151, 179
Roy, S.K., 179

Saha, P., 151, 179
Satsangi, P.S., 80
Sauthoff, G., 105, 114
Seo, T.-i., 88
Shalkevich, A., 72
Sharma, P.C., 80
Shu, D., 60
Shuja, S.Z., 12, 24
Simões, J.A., 209
Slycke, J., 190
Son, J.S., 139
Sun, B., 60
Syoji, K., 39

Tanakulrungsank, W., 186
Tsai, C.-H., 158, 166

Wang, J., 60

Yilbas, B.S., 12, 24
Yue, S., 100

Elsevier Science B.V.
PII: S0924-0136(03)00497-7

ELSEVIER

Journal of Materials Processing Technology 136 (2003) 240–243

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volume 136

Alumina ceramic
Laser milling of cavity in ceramic substrate by fracture-machining element technique, 158
Aluminium
Warm compression and extrusion tests of aluminium, 7
Aluminum
Laser induced flexural wave analysis: an aluminum element in steel substrate, 24
ANOVA
Optimization of manufacturing parameters for a brake lining using Taguchi method, 202
Apparent viscosity
The apparent viscosity of fine particle reinforced composite melt, 60

Ball bearings
Effects of axial preloading of angular contact ball bearings on the dynamics of a grinding machine spindle system, 48
Bead penetration
A study on relationship between process variables and bead penetration for robotic CO_2 arc welding, 139
Brake lining
Optimization of manufacturing parameters for a brake lining using Taguchi method, 202
Burnout
Grinding temperature within contact arc between wheel and workpiece in high-efficiency grinding of ultrahard cutting tool materials, 39

CAD/CAM
Integrated error compensation method using OMM system for profile milling operation, 88
Cement
Hydration and mechanical properties of Portland cement containing eloxal waste from aluminium industry, 35
Ceramic substrate
Laser cutting of thick ceramic substrates by controlled fracture technique, 166
Cermet
Grinding temperature within contact arc between wheel and workpiece in high-efficiency grinding of ultrahard cutting tool materials, 39
Closed-loop configuration
Integrated error compensation method using OMM system for profile milling operation, 88
CO_2 arc welding
A study on relationship between process variables and bead penetration for robotic CO_2 arc welding, 139
Computer-aided inspection (CAI)
Integrated error compensation method using OMM system for profile milling operation, 88
Controlled fracture
Laser cutting of thick ceramic substrates by controlled fracture technique, 166

Creep-feed grinding
Grinding temperature within contact arc between wheel and workpiece in high-efficiency grinding of ultrahard cutting tool materials, 39
Crystal growth
The influence of Si–O–Zr bonds on the crystal-growth inhibition of zirconia prepared by the glycothermal method, 186
Cutting force
The effects of heat treatment on the machinability of mild steels, 227

Deep-drawing
Optimising the variables when deep-drawing C.R.1 cups, 64
Design of experiments
Optimising the variables when deep-drawing C.R.1 cups, 64
Diamond wheel
Grinding temperature within contact arc between wheel and workpiece in high-efficiency grinding of ultrahard cutting tool materials, 39
Dimensional control
The influence of finishing milling strategies on texture, roughness and dimensional deviations on the machining of complex surfaces, 209

Elastic–plastic finite element method
An elastic–plastic finite element method for the analysis of powder metal forging, 80
Elasto-plastic wave
Numerical prediction of plastic deformation and residual stresses induced by laser shock processing, 120
Eloxal
Hydration and mechanical properties of Portland cement containing eloxal waste from aluminium industry, 35
Experimental design
An experimental design approach to selective laser sintering of low carbon steel, 151
Extrusion ratio
CONFORM process: surface separation, curling and process characteristics to the wheel diameter, 217
Extrusion tests
Warm compression and extrusion tests of aluminium, 7

Factorial design
A study on relationship between process variables and bead penetration for robotic CO_2 arc welding, 139
FeMnAlC alloys
Heat treatment and thermal stability of FeMnAlC alloys, 72
Film boiling
Grinding temperature within contact arc between wheel and workpiece in high-efficiency grinding of ultrahard cutting tool materials, 39
Fine grained material
The effect of small amounts of Al and Si on the superplastic behavior of a hypoeutectoid high carbon steel, 174

Elsevier Science B.V.
PII: S0924-0136(03)00498-9

Fine particle
The apparent viscosity of fine particle reinforced composite melt, 60
Flexural wave
Laser induced flexural wave analysis: an aluminum element in steel substrate, 24
Forging
An elastic–plastic finite element method for the analysis of powder metal forging, 80
Forming limitation
CONFORM process: surface separation, curling and process characteristics to the wheel diameter, 217
Fracture-machining element
Laser milling of cavity in ceramic substrate by fracture-machining element technique, 158
FT-IR
The influence of Si–O–Zr bonds on the crystal-growth inhibition of zirconia prepared by the glycothermal method, 186

Gas quenching
An evaluation of gas quenching of steel rings by multiple-jet impingement, 190
Glycothermal method
The influence of Si–O–Zr bonds on the crystal-growth inhibition of zirconia prepared by the glycothermal method, 186
Grain refinement
Processing of ultrafine ferrite steels, 100
Grinding temperature
Grinding temperature within contact arc between wheel and workpiece in high-efficiency grinding of ultrahard cutting tool materials, 39

Heat treatment
Heat treatment and thermal stability of FeMnAlC alloys, 72
Hot isostatic pressing
Production scale processing of a new intermetallic NiAl–Ta–Cr alloy for high-temperature application. Part II. Powder metallurgical production of bolts by hot isostatic pressing, 114
Hydration
Hydration and mechanical properties of Portland cement containing eloxal waste from aluminium industry, 35
Hypoeutectoid steel
The effect of small amounts of Al and Si on the superplastic behavior of a hypoeutectoid high carbon steel, 174

Impingement cooling
An evaluation of gas quenching of steel rings by multiple-jet impingement, 190
Indirect control parameters
A study on quality monitoring of injection-molded parts, 1
Injection molding
A study on quality monitoring of injection-molded parts, 1
Inspection error
Integrated error compensation method using OMM system for profile milling operation, 88
Intermetallics
Production-scale processing of a new intermetallic NiAl–Ta–Cr alloy for high-temperature application. Part I. Production of master alloy remelt ingots and investment casting of combustor liner model panels, 105
Production scale processing of a new intermetallic NiAl–Ta–Cr alloy for high-temperature application. Part II. Powder metallurgical production of bolts by hot isostatic pressing, 114
Investment casting
Production-scale processing of a new intermetallic NiAl–Ta–Cr alloy for high-temperature application. Part I. Production of master alloy remelt ingots and investment casting of combustor liner model panels, 105
Iron powder
Direct selective laser sintering of iron–graphite powder mixture, 179

Laser
Laser induced flexural wave analysis: an aluminum element in steel substrate, 24
Laser cutting
Laser cutting of thick ceramic substrates by controlled fracture technique, 166
Laser heating
A numerical solution for laser heating of titanium and nitrogen diffusion in solid, 12
Laser milling
Laser milling of cavity in ceramic substrate by fracture-machining element technique, 158
Laser shock processing (LSP)
Numerical prediction of plastic deformation and residual stresses induced by laser shock processing, 120
Laser sintering
Direct selective laser sintering of iron–graphite powder mixture, 179

Machinability
The effects of heat treatment on the machinability of mild steels, 227
Machine tool spindles
Effects of axial preloading of angular contact ball bearings on the dynamics of a grinding machine spindle system, 48
Mathematical modeling
A study on relationship between process variables and bead penetration for robotic CO_2 arc welding, 139
Mechanical properties
Heat treatment and thermal stability of FeMnAlC alloys, 72
Milling strategy
The influence of finishing milling strategies on texture, roughness and dimensional deviations on the machining of complex surfaces, 209
MMCp
The apparent viscosity of fine particle reinforced composite melt, 60
Monitoring
A study on quality monitoring of injection-molded parts, 1
Multiple regression analysis
A study on relationship between process variables and bead penetration for robotic CO_2 arc welding, 139
Nickel aluminide alloy
Production-scale processing of a new intermetallic NiAl–Ta–Cr alloy for high-temperature application. Part I. Production of master alloy remelt ingots and investment casting of combustor liner model panels, 105

Nitrogen diffusion
A numerical solution for laser heating of titanium and nitrogen diffusion in solid, 12

On-machine measurement (OMM)
Integrated error compensation method using OMM system for profile milling operation, 88
Optimal processing condition
A study on quality monitoring of injection-molded parts, 1
Optimisation
Optimising the variables when deep-drawing C.R.1 cups, 64

Phase transformations
An evaluation of gas quenching of steel rings by multiple-jet impingement, 190

Photopolymer
Study of shrinkage strains in a stereolithography cured acrylic photopolymer resin, 146
Porosity
An experimental design approach to selective laser sintering of low carbon steel, 151
Powder metallurgy
An elastic–plastic finite element method for the analysis of powder metal forging, 80
Production scale processing of a new intermetallic NiAl–Ta–Cr alloy for high-temperature application. Part II. Powder metallurgical production of bolts by hot isostatic pressing, 114
Preload
Effects of axial preloading of angular contact ball bearings on the dynamics of a grinding machine spindle system, 48
Process characteristics
CONFORM process: surface separation, curling and process characteristics to the wheel diameter, 217
Process variables
A study on relationship between process variables and bead penetration for robotic CO_2 arc welding, 139
Profile milling
Integrated error compensation method using OMM system for profile milling operation, 88
Projection moiré
Study of shrinkage strains in a stereolithography cured acrylic photopolymer resin, 146

Quenching
An evaluation of gas quenching of steel rings by multiple-jet impingement, 190

Rapid prototyping
An experimental design approach to selective laser sintering of low carbon steel, 151
Direct selective laser sintering of iron–graphite powder mixture, 179
Roughness
The influence of finishing milling strategies on texture, roughness and dimensional deviations on the machining of complex surfaces, 209

S/N ratio
Optimization of manufacturing parameters for a brake lining using Taguchi method, 202
Severe plastic deformation
Processing of ultrafine ferrite steels, 100
Shrinkage
A study on quality monitoring of injection-molded parts, 1
Study of shrinkage strains in a stereolithography cured acrylic photopolymer resin, 146
Sintering
An experimental design approach to selective laser sintering of low carbon steel, 151
SiO_2-modified ZrO_2
The influence of Si–O–Zr bonds on the crystal-growth inhibition of zirconia prepared by the glycothermal method, 186
Si–O–Si bonds
The influence of Si–O–Zr bonds on the crystal-growth inhibition of zirconia prepared by the glycothermal method, 186
Si–O–Zr bonds
The influence of Si–O–Zr bonds on the crystal-growth inhibition of zirconia prepared by the glycothermal method, 186
SLS
An experimental design approach to selective laser sintering of low carbon steel, 151
Steel powder
An experimental design approach to selective laser sintering of low carbon steel, 151
Steels
The effects of heat treatment on the machinability of mild steels, 227
Stereolithography
Study of shrinkage strains in a stereolithography cured acrylic photopolymer resin, 146
Stress wave
Numerical prediction of plastic deformation and residual stresses induced by laser shock processing, 120
Superplasticity
The effect of small amounts of Al and Si on the superplastic behavior of a hypoeutectoid high carbon steel, 174
Surface error compensation
Integrated error compensation method using OMM system for profile milling operation, 88
Surface roughness
The effects of heat treatment on the machinability of mild steels, 227
Surface separation and curling
CONFORM process: surface separation, curling and process characteristics to the wheel diameter, 217

Taguchi method
Optimization of manufacturing parameters for a brake lining using Taguchi method, 202
Texture
The influence of finishing milling strategies on texture, roughness and dimensional deviations on the machining of complex surfaces, 209
Thermomechanical processing
Processing of ultrafine ferrite steels, 100
Thermo-mechanical treatment
The effect of small amounts of Al and Si on the superplastic behavior of a hypoeutectoid high carbon steel, 174
Time-dependent non-linear FEM
CONFORM process: surface separation, curling and process characteristics to the wheel diameter, 217
Tool deflection
Integrated error compensation method using OMM system for profile milling operation, 88
Tool runout
Integrated error compensation method using OMM system for profile milling operation, 88
Tool wear
The effects of heat treatment on the machinability of mild steels, 227
Transient conservation equations
A numerical solution for laser heating of titanium and nitrogen diffusion in solid, 12
Tribological behavior
Optimization of manufacturing parameters for a brake lining using Taguchi method, 202

Ultrafine ferrite steels
Processing of ultrafine ferrite steels, 100

Variables
Optimising the variables when deep-drawing C.R.1 cups, 64

Warm compression
Warm compression and extrusion tests of aluminium, 7
Warpage
Study of shrinkage strains in a stereolithography cured acrylic photopolymer resin, 146

Wave propagation
Numerical prediction of plastic deformation and residual stresses induced by laser shock processing, 120

Wheel diameter
CONFORM process: surface separation, curling and process characteristics to the wheel diameter, 217